

ISAPS International Survey on Aesthetic/Cosmetic

Procedures Performed in 2015

Methodology:

Survey participants completed a questionnaire that primarily focused on the number of specific surgical and non-surgical procedures performed in 2015, along with some ancillary questions related to medical tourism.

The International Society of Aesthetic Plastic Surgery (ISAPS) issued an invitation to participate in the study to approximately 35,000 Plastic Surgeons whose contact information is housed in its proprietary database. In addition, a request was made that all National Societies encourage their members/constituents to take part in the survey.

Data from a total of 1,398 plastic surgeons were compiled for this survey.

Final figures have been projected to reflect international statistics and are exclusively based on the estimated number of Plastic Surgeons in each country and the respondent sample. This International Survey is focused on physicians who are board certified (or national equivalent) Plastic Surgeons.

To aid in tallying the world-wide estimate of plastic surgeons, representatives from National Societies provided recent counts for over 96% of the 40,000 total estimated plastic surgeons. For those cases in which the National Society did not provide its country's total, a simple regression equation was used to estimate the number of plastic surgeons in the country based on its population size and Gross Domestic Product.

Studies such as this must often address outlying responses. Though the outlying values may be legitimate, their presence can distort the averages, which provide the basis of the estimated projections. Significant outliers in this survey were adjusted in order to protect the reasonableness of the extrapolated values. Additional standard data editing procedures were followed to ensure responses met survey guidelines. All reported data values have been analyzed for statistical reasonableness.

Country-specific data are only shown for those countries that provided a sufficient survey response for the figures to be considered valid. No adjustments other than standard data editing procedures were applied to country-specific results.

The *International Survey on Aesthetic/Cosmetic Procedures Performed in 2015* was compiled, tabulated, and analyzed by Industry Insights, Inc. (www.industryinsights.com), an independent research firm based in Columbus, OH. The survey leader was Scott Hackworth, a CPA and data scientist who along with his firm has conducted various forms of research on trends in Aesthetic Plastic Surgery for nearly 20 years.

International Study on Aesthetic/Cosmetic Procedures Performed in 2015

| | World- Wide Totals | USA | Brazil | South Korea | India | Mexico | Germany | Colombia | France | Italy |
|---|--------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|
| TOTAL PROCEDURES | | | | | | | | | | |
| Surgical Procedures | | | | | | | | | | |
| Face & Head | | | | | | | | | | |
| Brow Lift | 243,140 | 28,535 | 31,405 | 16,437 | 5,827 | 14,214 | 5,714 | 7,315 | 4,446 | 3,584 |
| Ear Surgery | 252,718 | 16,250 | 42,240 | 6,472 | 18,060 | 10,323 | 10,052 | 7,192 | 6,375 | 4,544 |
| Eyelid Surgery | 1,264,702 | 141,505 | 143,165 | 101,985 | 29,434 | 48,329 | 54,907 | 27,959 | 35,473 | 19,960 |
| Facelift | 411,529 | 75,920 | 48,840 | 28,116 | 7,783 | 16,585 | 10,801 | 8,503 | 12,474 | 4,544 |
| Facial Bone Contouring | 108,250 | 11,115 | 7,480 | 8,143 | 4,666 | 11,269 | 2,092 | 4,921 | 323 | 2,200 |
| Fat Grafting-face | 591,894 | 49,660 | 51,645 | 63,326 | 27,649 | 27,652 | 21,877 | 15,827 | 11,847 | 11,216 |
| Neck Lift | 232,606 | 32,695 | 31,405 | 7,093 | 7,826 | 16,151 | 7,498 | 8,294 | 7,724 | 2,984 |
| Hair Transplantation | 134,019 | 7,605 | 9,075 | 7,436 | 39,625 | 992 | 1,167 | 3,088 | 2,651 | 984 |
| Rhinoplasty | 730,287 | 49,855 | 65,120 | 72,562 | 44,290 | 39,897 | 12,717 | 24,852 | 20,055 | 9,984 |
| Total Face & Head Procedures | 3,969,147 | 413,140 | 430,375 | 311,571 | 185,158 | 185,411 | 126,824 | 107,949 | 101,365 | 60,000 |
| Breast | | | | | | | | | | |
| Breast Augmentation— saline | 64,674 | 36,140 | 275 | 3,365 | 366 | 0 | 385 | 171 | 447 | 0 |
| Breast Augmentation—silicone | 1,311,129 | 255,060 | 158,950 | 44,039 | 23,865 | 57,552 | 46,242 | 44,888 | 37,354 | 21,744 |
| Breast Augmentation—fat transfer | 113,189 | 18,785 | 7,205 | 3,150 | 5,375 | 4,061 | 6,749 | 1,644 | 4,123 | 1,656 |
| Breast Implant Removal | 153,476 | 37,115 | 12,705 | 6,300 | 1,742 | 5,952 | 5,967 | 6,090 | 6,004 | 2,744 |
| Breast Lift | 512,248 | 106,535 | 80,520 | 8,101 | 9,052 | 21,902 | 15,271 | 16,321 | 14,421 | 7,160 |
| Breast Reduction | 423,093 | 67,080 | 72,600 | 5,165 | 16,491 | 14,198 | 17,121 | 11,381 | 18,953 | 3,672 |
| Gynecomastia | 212,328 | 25,545 | 26,400 | 4,757 | 25,091 | 6,960 | 9,876 | 4,142 | 4,351 | 4,216 |
| Total Breast Procedures | 2,790,138 | 546,260 | 358,655 | 74,876 | 81,980 | 110,624 | 101,611 | 84,636 | 85,652 | 41,192 |
| Body & Extremities | | | | | | | | | | |
| Abdominoplasty | 758,590 | 137,605 | 131,120 | 7,993 | 32,401 | 39,634 | 17,682 | 29,317 | 22,924 | 5,384 |
| Buttock Augmentation—implants only | 30,916 | 1,560 | 8,140 | 514 | 710 | 2,945 | 385 | 2,423 | 124 | 344 |
| Buttock Augmentation—fat transfer | 258,107 | 21,255 | 55,605 | 2,572 | 4,752 | 29,528 | 3,336 | 23,038 | 3,021 | 2,344 |
| Buttock Lift | 30,905 | 4,095 | 4,125 | 471 | 1,935 | 2,945 | 848 | 561 | 646 | 360 |
| Liposuction | 1,394,588 | 240,565 | 182,765 | 39,753 | 88,193 | 70,773 | 40,065 | 51,623 | 29,450 | 20,784 |
| Lower Body Lift | 56,169 | 6,955 | 7,700 | 429 | 3,677 | 3,286 | 2,092 | 2,632 | 2,850 | 728 |
| Penile Enlargement | 11,703 | 325 | 440 | 1,222 | 1,484 | 78 | 319 | 665 | 228 | 440 |
| Thigh Lift | 70,672 | 8,775 | 10,505 | 86 | 2,967 | 3,317 | 3,160 | 2,613 | 3,876 | 1,328 |

International Study on Aesthetic/Cosmetic Procedures Performed in 2015

| | World- Wide Totals | USA | Brazil | South Korea | India | Mexico | Germany | Colombia | France | Italy |
|--|--------------------------|------------------|------------------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Upper Arm Lift | 102,588 | 17,810 | 12,595 | 707 | 5,074 | 5,069 | 4,437 | 2,546 | 5,330 | 2,160 |
| Upper Body Lift | 22,634 | 2,600 | 2,805 | 0 | 1,333 | 1,674 | 1,563 | 1,017 | 124 | 616 |
| Labiaplasty | 95,010 | 10,855 | 12,870 | 2,186 | 3,935 | 3,441 | 5,296 | 3,259 | 3,097 | 1,872 |
| Vaginal Rejuvenation | 50,086 | 2,535 | 6,600 | 2,764 | 6,859 | 2,821 | 639 | 2,508 | 523 | 1,312 |
| Total Body & Extremities Procedures | 2,881,968 | 454,935 | 435,270 | 58,697 | 153,317 | 165,509 | 79,823 | 122,199 | 72,191 | 37,672 |
| Total Surgical Procedures | 9,641,253 | 1,414,335 | 1,224,300 | 445,144 | 420,454 | 461,544 | 308,258 | 314,783 | 259,208 | 138,864 |
| Non-Surgical Procedures | | | | | | | | | | |
| Injectables | | | | | | | | | | |
| Botulinum Toxin | 4,627,752 | 1,141,595 | 359,865 | 279,019 | 85,334 | 161,355 | 148,459 | 76,000 | 91,751 | 110,400 |
| Calcium Hydroxylapatite | 173,492 | 59,930 | 13,805 | 4,415 | 215 | 7,208 | 4,833 | 580 | 3,525 | 5,344 |
| Hyaluronic Acid | 2,865,086 | 580,320 | 195,030 | 198,378 | 60,050 | 86,320 | 129,852 | 41,002 | 92,103 | 109,288 |
| Poly-L-Lactic Acid | 64,134 | 24,050 | 9,350 | 1,672 | 151 | 93 | 1,277 | 0 | 979 | 2,272 |
| Total Injectables | 7,730,464 | 1,805,895 | 578,050 | 483,482 | 145,749 | 254,975 | 284,421 | 117,582 | 188,357 | 227,304 |
| Facial Rejuvenation | | | | | | | | | | |
| Chemical Peel | 489,344 | 101,010 | 86,295 | 7,779 | 58,093 | 8,339 | 2,092 | 5,852 | 5,026 | 12,112 |
| Full Field Ablative | 169,098 | 30,290 | 30,800 | 4,329 | 11,610 | 6,247 | 1,277 | 3,629 | 323 | 5,616 |
| Micro-Ablative Resurfacing | 217,593 | 45,175 | 25,190 | 22,009 | 16,942 | 5,549 | 0 | 4,142 | 105 | 2,656 |
| Dermabrasion | 51,882 | 8,385 | 2,365 | 1,436 | 3,225 | 2,000 | 4,085 | 2,119 | 779 | 712 |
| Microdermabrasion | 365,587 | 111,150 | 33,330 | 16,801 | 19,135 | 19,329 | 209 | 14,317 | 0 | 1,744 |
| Nonsurgical Skin Tightening | 340,609 | 56,550 | 31,240 | 36,088 | 11,202 | 28,350 | 6,000 | 6,973 | 6,451 | 3,784 |
| Photo Rejuvenation | 568,672 | 122,850 | 78,155 | 48,860 | 6,816 | 24,521 | 0 | 13,965 | 6,099 | 2,688 |
| Polymethylmethacrylate | 36,017 | 7,605 | 10,890 | 2,722 | 0 | 264 | 0 | 0 | 0 | 0 |
| Total Injectables | 2,238,803 | 483,015 | 298,265 | 140,024 | 127,022 | 94,597 | 13,663 | 50,996 | 18,782 | 29,312 |
| Other | | | | | | | | | | |
| Cellulite Treatment | 283,598 | 12,480 | 67,155 | 10,136 | 16,534 | 33,480 | 1,453 | 5,396 | 6,251 | 5,240 |
| Hair Removal | 1,099,053 | 174,590 | 106,205 | 45,217 | 154,650 | 30,008 | 4,118 | 30,077 | 7,201 | 4,928 |
| Nonsurgical Fat Reduction | 425,315 | 119,470 | 17,655 | 19,330 | 32,293 | 17,066 | 4,151 | 23,646 | 8,921 | 4,712 |
| Tattoo Removal | 128,218 | 12,740 | 11,770 | 12,772 | 24,209 | 6,696 | 352 | 2,698 | 0 | 1,512 |
| Treatment of Leg Veins | 73,190 | 7,800 | 14,245 | 43 | 9,052 | 2,682 | 66 | 1,492 | 0 | 1,088 |
| Sclerotherapy | 76,778 | 12,285 | 6,600 | 86 | 5,526 | 6,867 | 925 | 1,967 | 0 | 5,800 |
| Total Other | 2,086,152 | 339,365 | 223,630 | 87,584 | 242,262 | 96,798 | 11,065 | 65,275 | 22,373 | 23,280 |
| Total Non-Surgical Procedures | 12,055,418 | 2,628,275 | 1,099,945 | 711,090 | 515,033 | 446,369 | 309,150 | 233,852 | 229,511 | 279,896 |
| Total Procedures | 21,696,671 | 4,042,610 | 2,324,245 | 1,156,234 | 935,487 | 907,913 | 617,408 | 548,635 | 488,718 | 418,760 |

| Total Face & Head Procedures | | | |
|---|-------------|-----------|-----------------------|
| Rank * | Country: | | % of World-Wide Total |
| 1 | Brazil | 430,375 | 10.8% |
| 2 | USA | 413,140 | 10.4% |
| 3 | South Korea | 311,571 | 7.8% |
| 4 | Mexico | 185,411 | 4.7% |
| 5 | India | 185,158 | 4.7% |
| 6 | Germany | 126,824 | 3.2% |
| 7 | Colombia | 107,949 | 2.7% |
| 8 | France | 101,365 | 2.6% |
| 9 | Italy | 60,000 | 1.5% |
| Total Breast Procedures | | | |
| Rank * | Country: | | % of World-Wide Total |
| 1 | USA | 546,260 | 19.6% |
| 2 | Brazil | 358,655 | 12.9% |
| 3 | Mexico | 110,624 | 4.0% |
| 4 | Germany | 101,611 | 3.6% |
| 5 | France | 85,652 | 3.1% |
| 6 | Colombia | 84,636 | 3.0% |
| 7 | India | 81,980 | 2.9% |
| 8 | South Korea | 74,876 | 2.7% |
| 9 | Italy | 41,192 | 1.5% |
| Total Body & Extremities | | | |
| Rank * | Country: | | % of World-Wide Total |
| 1 | USA | 454,935 | 15.8% |
| 2 | Brazil | 435,270 | 15.1% |
| 3 | Mexico | 165,509 | 5.7% |
| 4 | India | 153,317 | 5.3% |
| 5 | Colombia | 122,199 | 4.2% |
| 6 | Germany | 79,823 | 2.8% |
| 7 | France | 72,191 | 2.5% |
| 8 | South Korea | 58,697 | 2.0% |
| 9 | Italy | 37,672 | 1.3% |
| Total Surgical Procedures | | | |
| Rank * | Country: | | % of World-Wide Total |
| 1 | USA | 1,414,335 | 14.7% |
| 2 | Brazil | 1,224,300 | 12.7% |
| 3 | Mexico | 461,544 | 4.8% |
| 4 | South Korea | 445,144 | 4.6% |
| 5 | India | 420,454 | 4.4% |
| 6 | Colombia | 314,783 | 3.3% |
| 7 | Germany | 308,258 | 3.2% |
| 8 | France | 259,208 | 2.7% |
| 9 | Italy | 138,864 | 1.4% |

* Rankings are based solely on those countries from which a sufficient survey response was received and data were considered to be representative.

| Total Injectibles | | | |
|--|-----------------|-----------|------------------------------|
| Rank * | Country: | | % of World-Wide Total |
| 1 | USA | 1,805,895 | 23.4% |
| 2 | Brazil | 578,050 | 7.5% |
| 3 | South Korea | 483,482 | 6.3% |
| 4 | Germany | 284,421 | 3.7% |
| 5 | Mexico | 254,975 | 3.3% |
| 6 | Italy | 227,304 | 2.9% |
| 7 | France | 188,357 | 2.4% |
| 8 | India | 145,749 | 1.9% |
| 9 | Colombia | 117,582 | 1.5% |
| Total Facial Rejuvenation | | | |
| Rank * | Country: | | % of World-Wide Total |
| 1 | USA | 483,015 | 21.6% |
| 2 | Brazil | 298,265 | 13.3% |
| 3 | South Korea | 140,024 | 6.3% |
| 4 | India | 127,022 | 5.7% |
| 5 | Mexico | 94,597 | 4.2% |
| 6 | Colombia | 50,996 | 2.3% |
| 7 | Italy | 29,312 | 1.3% |
| 8 | France | 18,782 | 0.8% |
| 9 | Germany | 13,663 | 0.6% |
| Total Non-Surgical Procedures | | | |
| Rank * | Country: | | % of World-Wide Total |
| 1 | USA | 2,628,275 | 21.8% |
| 2 | Brazil | 1,099,945 | 9.1% |
| 3 | South Korea | 711,090 | 5.9% |
| 4 | India | 515,033 | 4.3% |
| 5 | Mexico | 446,369 | 3.7% |
| 6 | Germany | 309,150 | 2.6% |
| 7 | Italy | 279,896 | 2.3% |
| 8 | Colombia | 233,852 | 1.9% |
| 9 | France | 229,511 | 1.9% |
| Total Other Non-Surgical Procedures | | | |
| Rank * | Country: | | % of World-Wide Total |
| 1 | USA | 339,365 | 16.3% |
| 2 | India | 242,262 | 11.6% |
| 3 | Brazil | 223,630 | 10.7% |
| 4 | Mexico | 96,798 | 4.6% |
| 5 | South Korea | 87,584 | 4.2% |
| 6 | Colombia | 65,275 | 3.1% |
| 7 | Italy | 23,280 | 1.1% |
| 8 | France | 22,373 | 1.1% |
| 9 | Germany | 11,065 | 0.5% |

| Total Procedures | | | |
|-------------------------|-----------------|-----------|------------------------------|
| Rank * | Country: | | % of World-Wide Total |
| 1 | USA | 4,042,610 | 18.6% |
| 2 | Brazil | 2,324,245 | 10.7% |
| 3 | South Korea | 1,156,234 | 5.3% |
| 4 | India | 935,487 | 4.3% |
| 5 | Mexico | 907,913 | 4.2% |
| 6 | Germany | 617,408 | 2.8% |
| 7 | Colombia | 548,635 | 2.5% |
| 8 | France | 488,718 | 2.3% |
| 9 | Italy | 418,760 | 1.9% |

* Rankings are based solely on those countries from which a sufficient survey response was received and data were considered to be representative.

| Countries Ranked by Estimated Number of Plastic Surgeons (Top 30) | | | |
|--|----------------|-------------------------|--|
| Rank | Country | Plastic Surgeons | Percent of Total Plastic Surgeons |
| 1 | USA | 6,500 | 16.0% |
| 2 | Brazil | 5,500 | 13.5% |
| 3 | China | 2,800 | 6.9% |
| 4 | Japan | 2,225 | 5.5% |
| 5 | South Korea | 2,150 | 5.3% |
| 6 | India | 2,150 | 5.3% |
| 7 | Russia | 2,000 | 4.9% |
| 8 | Mexico | 1,550 | 3.8% |
| 9 | Turkey | 1,200 | 2.9% |
| 10 | Germany | 1,100 | 2.7% |
| 11 | Colombia | 950 | 2.3% |
| 12 | France | 950 | 2.3% |
| 13 | Spain | 945 | 2.3% |
| 14 | United Kingdom | 865 | 2.1% |
| 15 | Italy | 800 | 2.0% |
| 16 | Chinese Taipei | 600 | 1.5% |
| 17 | Canada | 575 | 1.4% |
| 18 | Venezuela | 500 | 1.2% |
| 19 | Egypt | 400 | 1.0% |
| 20 | Peru | 380 | 0.9% |
| 21 | Argentina | 350 | 0.9% |
| 22 | Australia | 320 | 0.8% |
| 23 | Thailand | 320 | 0.8% |
| 24 | Greece | 275 | 0.7% |
| 25 | Netherlands | 270 | 0.7% |
| 26 | South Africa | 265 | 0.7% |
| 27 | Belgium | 265 | 0.7% |
| 28 | Iran | 240 | 0.6% |
| 29 | Saudi Arabia | 230 | 0.6% |
| 30 | Poland | 200 | 0.5% |

| Countries by Total Number of Procedures—2015 | | | | | | | |
|---|-------------|---------------------------|--------------------------------|------------------------------|-----------------------------------|------------------|-----------------------|
| Rank* | | Total Surgical Procedures | % of total surgical procedures | Total Nonsurgical Procedures | % of total nonsurgical procedures | Total Procedures | % of total procedures |
| 1 | USA | 1,414,335 | 14.7% | 2,628,275 | 21.8% | 4,042,610 | 18.6% |
| 2 | Brazil | 1,224,300 | 12.7% | 1,099,945 | 9.1% | 2,324,245 | 10.7% |
| 3 | South Korea | 445,144 | 4.6% | 711,090 | 5.9% | 1,156,234 | 5.3% |
| 4 | India | 420,454 | 4.4% | 515,033 | 4.3% | 935,487 | 4.3% |
| 5 | Mexico | 461,544 | 4.8% | 446,369 | 3.7% | 907,913 | 4.2% |
| 6 | Germany | 308,258 | 3.2% | 309,150 | 2.6% | 617,408 | 2.8% |
| 7 | Colombia | 314,783 | 3.3% | 233,852 | 1.9% | 548,635 | 2.5% |
| 8 | France | 259,208 | 2.7% | 229,511 | 1.9% | 488,718 | 2.3% |
| | Italy | 138,864 | 1.4% | 279,896 | 2.3% | 418,760 | 1.9% |

* Rankings are based solely on those countries from which a sufficient survey response was received and data were considered to be representative.

| Number of World-Wide Surgical Procedures Performed by Plastic Surgeons | | | |
|---|----------------------------------|------------------|--------------------------------------|
| Rank | Surgical Procedure | Total | Percent of Total Surgical Procedures |
| 1 | Breast Augmentation | 1,488,992 | 15.4% |
| 2 | Liposuction | 1,394,588 | 14.5% |
| 3 | Eyelid Surgery | 1,264,702 | 13.1% |
| 4 | Abdominoplasty | 758,590 | 7.9% |
| 5 | Rhinoplasty | 730,287 | 7.6% |
| 6 | Fat Grafting-face | 591,894 | 6.1% |
| 7 | Breast Lift | 512,248 | 5.3% |
| 8 | Breast Reduction | 423,093 | 4.4% |
| 9 | Facelift | 411,529 | 4.3% |
| 10 | Buttock Augmentation | 289,023 | 2.7% |
| 11 | Ear Surgery | 252,718 | 2.6% |
| 12 | Brow Lift | 243,140 | 2.5% |
| 13 | Neck Lift | 232,606 | 2.4% |
| 14 | Gynecomastia | 212,328 | 2.2% |
| 15 | Breast Implant Removal | 153,476 | 1.6% |
| 16 | Hair Transplantation | 134,019 | 1.4% |
| 17 | Facial Bone Contouring | 108,250 | 1.1% |
| 18 | Upper Arm Lift | 102,588 | 1.1% |
| 19 | Labiaplasty | 95,010 | 1.0% |
| 20 | Thigh Lift | 70,672 | 0.7% |
| 21 | Lower Body Lift | 56,169 | 0.6% |
| 22 | Vaginal Rejuvenation | 50,086 | 0.5% |
| 23 | Buttock Lift | 30,905 | 0.3% |
| 24 | Upper Body Lift | 22,634 | 0.2% |
| 25 | Penile Enlargement | 11,703 | 0.1% |
| | Total Surgical Procedures | 9,641,253 | |

* Procedure was not included in 2014 survey.
** Ranks have been adjusted to allow more accurate comparability between years.

| Number of World-Wide Nonsurgical Procedures Performed by Plastic Surgeons | | | |
|--|------------------------------|-------------------|--|
| Rank | Nonsurgical Procedure | Total | Percent of Total Nonsurgical Procedures |
| 1 | Botulinum Toxin | 4,627,752 | 38.4% |
| 2 | Hyaluronic Acid | 2,865,086 | 23.8% |
| 3 | Hair Removal | 1,099,053 | 9.1% |
| 4 | Photo Rejuvenation | 568,672 | 4.7% |
| 5 | Chemical Peel | 489,344 | 4.1% |
| 6 | Nonsurgical Fat Reduction | 425,315 | 3.5% |
| 7 | Microdermabrasion | 365,587 | 3.0% |
| 8 | Nonsurgical Skin Tightening | 340,609 | 2.8% |
| 9 | Cellulite Treatment | 283,598 | 2.4% |
| 10 | Micro-Ablative Resurfacing | 217,593 | 1.8% |
| 11 | Calcium Hydroxylapatite | 173,492 | 1.4% |
| 12 | Full Field Ablative | 169,098 | 1.4% |
| 13 | Tattoo Removal | 128,218 | 1.1% |
| 14 | Sclerotherapy | 76,778 | 0.6% |
| 15 | Treatment of Leg Veins | 73,190 | 0.6% |
| 16 | Poly-L-Lactic Acid | 64,134 | 0.5% |
| 17 | Dermabrasion | 51,882 | 0.4% |
| 18 | Polymethylmethacrylate | 36,017 | 0.3% |
| Total Nonsurgical Procedures | | 10,591,506 | |

| Countries Performing Most Popular Surgical Procedures | | | |
|--|----------------|-----------------------------|----------------------------|
| Rank * | Country | Number of Procedures | Percentage of Total |
| Breast Augmentation | | | |
| 1 | USA | 309,985 | 20.8% |
| 2 | Brazil | 166,430 | 11.2% |
| 3 | Mexico | 61,613 | 4.1% |
| 4 | Germany | 53,376 | 3.6% |
| 5 | South Korea | 50,553 | 3.4% |
| 6 | Colombia | 46,702 | 3.1% |
| 7 | France | 41,924 | 2.8% |
| 8 | India | 29,606 | 2.0% |
| 9 | Italy | 23,400 | 1.6% |
| Liposuction | | | |
| 1 | USA | 240,565 | 17.2% |
| 2 | Brazil | 182,765 | 13.1% |
| 3 | India | 88,193 | 6.3% |
| 4 | Mexico | 70,773 | 5.1% |
| 5 | Colombia | 51,623 | 3.7% |
| 6 | Germany | 40,065 | 2.9% |
| 7 | South Korea | 39,753 | 2.9% |
| 8 | France | 29,450 | 2.1% |
| 9 | Italy | 20,784 | 1.5% |
| Eyelid Surgery | | | |
| 1 | Brazil | 143,165 | 11.3% |
| 2 | USA | 141,505 | 11.2% |
| 3 | South Korea | 101,985 | 8.1% |
| 4 | Germany | 54,907 | 4.3% |
| 5 | Mexico | 48,329 | 3.8% |
| 6 | France | 35,473 | 2.8% |
| 7 | India | 29,434 | 2.3% |
| 8 | Colombia | 27,959 | 2.2% |
| 9 | Italy | 19,960 | 1.6% |
| Abdominoplasty | | | |
| 1 | USA | 137,605 | 18.1% |
| 2 | Brazil | 131,120 | 17.3% |
| 3 | Mexico | 39,634 | 5.2% |
| 4 | India | 32,401 | 4.3% |
| 5 | Colombia | 29,317 | 3.9% |
| 6 | France | 22,924 | 3.0% |
| 7 | Germany | 17,682 | 2.3% |
| 8 | South Korea | 7,993 | 1.1% |
| 9 | Italy | 5,384 | 0.7% |
| Rhinoplasty | | | |
| 1 | South Korea | 72,562 | 9.9% |
| 2 | Brazil | 65,120 | 8.9% |
| 3 | USA | 49,855 | 6.8% |
| 4 | India | 44,290 | 6.1% |
| 5 | Mexico | 39,897 | 5.5% |
| 6 | Colombia | 24,852 | 3.4% |
| 7 | France | 20,055 | 2.7% |
| 8 | Germany | 12,717 | 1.7% |
| 9 | Italy | 9,984 | 1.4% |

2015 Gender Distribution for Cosmetic Procedures

The following list includes both surgical and nonsurgical cosmetic procedures.

| Procedure | FEMALE (Number of Procedures) | Percent of Total | Rank within Category (Surgical/ Nonsurgical) | MALE (Number of Procedures) | Percent of Total | Rank within Category (Surgical/ Nonsurgical) |
|-------------------------------------|-------------------------------------|---------------------|---|-----------------------------------|---------------------|---|
| Surgical Procedures: | | | | | | |
| Abdominoplasty | 703,361 | 92.7% | 4 | 55,229 | 7.3% | 9 |
| Breast Augmentation— saline | 64,483 | 99.7% | 20 | 191 | 0.3% | 24 |
| Breast Augmentation—fat transfer | 112,222 | 99.1% | 15 | 967 | 0.9% | 22 |
| Breast Augmentation—silicone | 1,299,793 | 99.1% | 1 | 11,336 | 0.9% | 15 |
| Breast Implant Removal | 151,815 | 98.9% | 14 | 1,661 | 1.1% | 21 |
| Breast Lift | 512,248 | 100.0% | 6 | dna | dna | dna |
| Breast Reduction | 423,093 | 100.0% | 8 | dna | dna | dna |
| Brow Lift | 204,622 | 84.2% | 11 | 38,518 | 15.8% | 11 |
| Buttock Augmentation—fat transfer | 246,695 | 95.6% | 10 | 11,412 | 4.4% | 14 |
| Buttock Augmentation-implants only | 30,474 | 98.6% | 23 | 442 | 1.4% | 23 |
| Buttock Lift | 28,022 | 90.7% | 24 | 2,883 | 9.3% | 20 |
| Ear Surgery | 161,210 | 63.8% | 13 | 91,508 | 36.2% | 7 |
| Eyelid Surgery | 988,620 | 78.2% | 3 | 276,082 | 21.8% | 1 |
| Facelift | 353,791 | 86.0% | 9 | 57,738 | 14.0% | 8 |
| Facial Bone Contouring | 79,646 | 73.6% | 18 | 28,604 | 26.4% | 12 |
| Fat Grafting-face | 499,584 | 84.4% | 7 | 92,311 | 15.6% | 6 |
| Gynecomastia | dna | dna | dna | 212,328 | 100.0% | 3 |
| Hair Transplantation | 26,409 | 19.7% | 25 | 107,611 | 80.3% | 5 |
| Labiaplasty | 95,010 | 100.0% | 17 | dna | dna | dna |
| Liposuction | 1,181,074 | 84.7% | 2 | 213,514 | 15.3% | 2 |
| Lower Body Lift | 47,425 | 84.4% | 22 | 8,744 | 15.6% | 16 |
| Neck Lift | 188,390 | 81.0% | 12 | 44,216 | 19.0% | 10 |
| Penile Enlargement | dna | dna | dna | 11,703 | 100.0% | 13 |
| Rhinoplasty | 534,523 | 73.2% | 5 | 195,764 | 26.8% | 4 |
| Thigh Lift | 66,997 | 94.8% | 19 | 3,675 | 5.2% | 18 |
| Upper Arm Lift | 99,073 | 96.6% | 16 | 3,516 | 3.4% | 19 |
| Upper Body Lift | 18,550 | 82.0% | 26 | 4,084 | 18.0% | 17 |
| Vaginal Rejuvenation | 50,086 | 100.0% | 21 | dna | dna | dna |
| Totals - Surgical Procedures | 8,167,217 | 84.7% | | 1,474,036 | 15.3% | |

2015 Gender Distribution for Cosmetic Procedures

The following list includes both surgical and nonsurgical cosmetic procedures.

| Procedure | FEMALE (Number of Procedures) | Percent of Total | Rank within Category (Surgical/ Nonsurgical) | MALE (Number of Procedures) | Percent of Total | Rank within Category (Surgical/ Nonsurgical) |
|--|-------------------------------------|---------------------|---|-----------------------------------|---------------------|---|
| Non-Surgical Procedures: | | | | | | |
| Botulinum Toxin | 4,003,837 | 86.5% | 1 | 623,914 | 13.5% | 1 |
| Calcium Hydroxylapatite | 152,165 | 87.7% | 11 | 21,327 | 12.3% | 13 |
| Cellulite Treatment | 259,515 | 91.5% | 9 | 24,084 | 8.5% | 12 |
| Chemical Peel | 431,040 | 88.1% | 5 | 58,304 | 11.9% | 6 |
| Dermabrasion | 41,191 | 79.4% | 17 | 10,691 | 20.6% | 15 |
| Full Field Ablative | 144,243 | 85.3% | 12 | 24,855 | 14.7% | 11 |
| Hair Removal | 928,171 | 84.5% | 3 | 170,882 | 15.5% | 3 |
| Hyaluronic Acid | 2,523,631 | 88.1% | 2 | 341,454 | 11.9% | 2 |
| Micro-Ablative Resurfacing | 181,810 | 83.6% | 10 | 35,783 | 16.4% | 10 |
| Microdermabrasion | 311,322 | 85.2% | 7 | 54,265 | 14.8% | 7 |
| Nonsurgical Fat Reduction | 350,289 | 82.4% | 6 | 75,025 | 17.6% | 5 |
| Nonsurgical Skin Tightening | 297,284 | 87.3% | 8 | 43,325 | 12.7% | 9 |
| Photo Rejuvenation | 481,703 | 84.7% | 4 | 86,968 | 15.3% | 4 |
| Poly-L-Lactic Acid | 55,275 | 86.2% | 16 | 8,859 | 13.8% | 17 |
| Polymethylmethacrylate | 30,400 | 84.4% | 18 | 5,617 | 15.6% | 18 |
| Sclerotherapy | 66,444 | 86.5% | 14 | 10,334 | 13.5% | 16 |
| Tattoo Removal | 74,312 | 58.0% | 13 | 53,906 | 42.0% | 8 |
| Treatment of Leg Veins | 61,659 | 84.2% | 15 | 11,531 | 15.8% | 14 |
| Totals - Non-Surgical Procedure | 10,394,293 | 86.2% | | 1,661,126 | 13.8% | |
| TOTALS ALL PROCEDURES | 18,561,509 | 85.6% | | 3,135,162 | 14.4% | |

dna = Does not apply

| Most Common Procedures by Country | |
|--|--------------|
| USA | Total |
| Surgical Procedures | |
| Breast Augmentation | 309,985 |
| Liposuction | 240,565 |
| Eyelid Surgery | 141,505 |
| Abdominoplasty | 137,605 |
| Breast Lift | 106,535 |
| Non-Surgical Procedures | |
| Botulinum Toxin | 1,141,595 |
| Hyaluronic Acid | 580,320 |
| Hair Removal | 174,590 |
| Photo Rejuvenation | 122,850 |
| Nonsurgical Fat Reduction | 119,470 |
| Brazil | |
| Surgical Procedures | |
| Liposuction | 182,765 |
| Breast Augmentation | 166,340 |
| Eyelid Surgery | 143,165 |
| Abdominoplasty | 131,120 |
| Breast Lift | 80,520 |
| Non-Surgical Procedures | |
| Botulinum Toxin | 359,865 |
| Hyaluronic Acid | 195,030 |
| Hair Removal | 106,205 |
| Chemical Peel | 86,295 |
| Photo Rejuvenation | 78,155 |
| South Korea | |
| Surgical Procedures | |
| Eyelid Surgery | 101,985 |
| Rhinoplasty | 72,562 |
| Fat Grafting-face | 63,326 |
| Breast Augmentation | 50,553 |
| Liposuction | 39,753 |
| Non-Surgical Procedures | |
| Botulinum Toxin | 279,019 |
| Hyaluronic Acid | 198,378 |
| Photo Rejuvenation | 48,860 |
| Hair Removal | 45,217 |
| Nonsurgical Skin Tightening | 36,088 |

| Most Common Procedures by Country | |
|--|--------------|
| India | Total |
| Surgical Procedures | |
| Liposuction | 88,193 |
| Rhinoplasty | 44,290 |
| Hair Transplantation | 39,625 |
| Abdominoplasty | 32,401 |
| Eyelid Surgery | 29,434 |
| Non-Surgical Procedures | |
| Hair Removal | 154,650 |
| Botulinum Toxin | 85,334 |
| Hyaluronic Acid | 60,050 |
| Chemical Peel | 58,093 |
| Nonsurgical Fat Reduction | 32,293 |
| Mexico | |
| Surgical Procedures | |
| Liposuction | 70,773 |
| Breast Augmentation | 61,663 |
| Eyelid Surgery | 48,329 |
| Rhinoplasty | 39,897 |
| Abdominoplasty | 39,634 |
| Non-Surgical Procedures | |
| Botulinum Toxin | 161,355 |
| Hyaluronic Acid | 86,320 |
| Cellulite Treatment | 33,480 |
| Hair Removal | 30,008 |
| Nonsurgical Skin Tightening | 28,350 |
| Germany | |
| Surgical Procedures | |
| Eyelid Surgery | 54,907 |
| Breast Augmentation | 53,376 |
| Liposuction | 40,065 |
| Fat Grafting-face | 21,877 |
| Abdominoplasty | 17,682 |
| Non-Surgical Procedures | |
| Botulinum Toxin | 148,459 |
| Hyaluronic Acid | 129,852 |
| Nonsurgical Skin Tightening | 6,000 |
| Calcium Hydroxylapatite | 4,833 |
| Nonsurgical Fat Reduction | 4,151 |

| Most Common Procedures by Country | |
|--|--------------|
| Colombia | Total |
| Surgical Procedures | |
| Liposuction | 51,623 |
| Breast Augmentation | 46,702 |
| Abdominoplasty | 29,317 |
| Eyelid Surgery | 27,959 |
| Rhinoplasty | 24,852 |
| Non-Surgical Procedures | |
| Botulinum Toxin | 76,000 |
| Hyaluronic Acid | 41,002 |
| Hair Removal | 30,077 |
| Nonsurgical Fat Reduction | 23,646 |
| Microdermabrasion | 14,317 |
| France | |
| Surgical Procedures | |
| Breast Augmentation | 41,924 |
| Eyelid Surgery | 35,473 |
| Liposuction | 29,450 |
| Abdominoplasty | 22,924 |
| Rhinoplasty | 20,055 |
| Non-Surgical Procedures | |
| Hyaluronic Acid | 92,103 |
| Botulinum Toxin | 91,751 |
| Nonsurgical Fat Reduction | 8,921 |
| Hair Removal | 7,201 |
| Nonsurgical Skin Tightening | 6,451 |
| Italy | |
| Surgical Procedures | |
| Breast Augmentation | 23,400 |
| Liposuction | 20,784 |
| Eyelid Surgery | 19,960 |
| Fat Grafting-face | 11,216 |
| Rhinoplasty | 9,984 |
| Non-Surgical Procedures | |
| Botulinum Toxin | 110,400 |
| Hyaluronic Acid | 109,288 |
| Chemical Peel | 12,112 |
| Sclerotherapy | 5,800 |
| Full Field Ablative | 5,616 |

| Countries Performing Most Popular Non-Surgical Procedures | | | |
|--|----------------|-----------------------------|----------------------------|
| Rank* | Country | Number of Procedures | Percentage of Total |
| Botulinum Toxin | | | |
| 1 | USA | 1,141,595 | 24.7% |
| 2 | Brazil | 359,865 | 7.8% |
| 3 | South Korea | 279,019 | 6.0% |
| 4 | Mexico | 161,355 | 3.5% |
| 5 | Germany | 148,459 | 3.2% |
| 6 | Italy | 110,400 | 2.4% |
| 7 | France | 91,751 | 2.0% |
| 8 | India | 85,334 | 1.8% |
| 9 | Colombia | 76,000 | 1.6% |
| Hyaluronic Acid | | | |
| 1 | USA | 580,320 | 20.3% |
| 2 | South Korea | 198,378 | 6.9% |
| 3 | Brazil | 195,030 | 6.8% |
| 4 | Germany | 129,852 | 4.5% |
| 5 | Italy | 109,288 | 3.8% |
| 6 | France | 92,103 | 3.2% |
| 7 | Mexico | 86,320 | 3.0% |
| 8 | India | 60,050 | 2.1% |
| 9 | Colombia | 41,002 | 1.4% |
| Hair Removal | | | |
| 1 | USA | 174,590 | 15.9% |
| 2 | India | 154,650 | 14.1% |
| 3 | Brazil | 106,205 | 9.7% |
| 4 | South Korea | 45,217 | 4.1% |
| 5 | Colombia | 30,077 | 2.7% |
| 6 | Mexico | 30,008 | 2.7% |
| 7 | France | 7,201 | 0.7% |
| 8 | Italy | 4,928 | 0.4% |
| 9 | Germany | 4,118 | 0.4% |
| Photo Rejuvenation | | | |
| 1 | USA | 122,850 | 21.6% |
| 2 | Brazil | 78,155 | 13.7% |
| 3 | South Korea | 48,860 | 8.6% |
| 4 | Mexico | 24,521 | 4.3% |
| 5 | Colombia | 13,965 | 2.5% |
| 6 | India | 6,816 | 1.2% |
| 7 | France | 6,099 | 1.1% |
| 8 | Italy | 2,688 | 0.5% |
| 9 | Germany | 0 | 0.0% |

Countries Performing Most Popular Non-Surgical Procedures

| Rank* | Country | Number of Procedures | Percentage of Total |
|----------------------|-------------|----------------------|---------------------|
| Chemical Peel | | | |
| 1 | USA | 101,010 | 20.6% |
| 2 | Brazil | 86,295 | 17.6% |
| 3 | India | 58,093 | 11.9% |
| 4 | Italy | 12,112 | 2.5% |
| 5 | Mexico | 8,339 | 1.7% |
| 6 | South Korea | 7,779 | 1.6% |
| 7 | Colombia | 5,852 | 1.2% |
| 8 | France | 5,026 | 1.0% |
| 9 | Germany | 2,092 | 0.4% |

* Rankings are based solely on those countries from which a sufficient survey response was received and data were considered to be representative.

| Surgical Procedure Group Ranking by Country | | | |
|--|-------------------------------------|--------------|-------------------|
| Rank | Country | Total | % of Total |
| USA | | | |
| 1 | Total Breast Procedures | 546,260 | 38.6% |
| 2 | Total Body & Extremities Procedures | 454,935 | 32.2% |
| 3 | Total Face & Head Procedures | 413,140 | 29.2% |
| Brazil | | | |
| 1 | Total Body & Extremities Procedures | 435,270 | 35.6% |
| 2 | Total Face & Head Procedures | 430,375 | 35.2% |
| 3 | Total Breast Procedures | 358,655 | 29.3% |
| South Korea | | | |
| 1 | Total Face & Head Procedures | 311,571 | 70.0% |
| 2 | Total Breast Procedures | 74,876 | 16.8% |
| 3 | Total Body & Extremities Procedures | 58,697 | 13.2% |
| India | | | |
| 1 | Total Face & Head Procedures | 185,158 | 44.0% |
| 2 | Total Body & Extremities Procedures | 153,317 | 36.5% |
| 3 | Total Breast Procedures | 81,980 | 19.5% |
| Mexico | | | |
| 1 | Total Face & Head Procedures | 185,411 | 40.2% |
| 2 | Total Body & Extremities Procedures | 165,509 | 35.9% |
| 3 | Total Breast Procedures | 110,624 | 24.0% |
| Germany | | | |
| 1 | Total Face & Head Procedures | 126,824 | 41.1% |
| 2 | Total Breast Procedures | 101,611 | 33.0% |
| 3 | Total Body & Extremities Procedures | 79,823 | 25.9% |
| Colombia | | | |
| 1 | Total Body & Extremities Procedures | 122,199 | 38.8% |
| 2 | Total Face & Head Procedures | 107,949 | 34.3% |
| 3 | Total Breast Procedures | 84,636 | 26.9% |
| France | | | |
| 1 | Total Face & Head Procedures | 101,365 | 39.1% |
| 2 | Total Breast Procedures | 85,652 | 33.0% |
| 3 | Total Body & Extremities Procedures | 72,191 | 27.9% |
| Italy | | | |
| 1 | Total Face & Head Procedures | 60,000 | 43.2% |
| 2 | Total Breast Procedures | 41,192 | 29.7% |
| 3 | Total Body & Extremities Procedures | 37,672 | 27.1% |
| * Percentage reflects portion of countries total surgical procedures | | | |

| Non-Surgical Procedure Group Ranking by Country | | | |
|--|--------------------------------------|--------------|-------------------|
| Rank | Country | Total | % of Total |
| USA | | | |
| 1 | Total Injectables Procedures | 1,805,895 | 68.7% |
| 2 | Total Facial Rejuvenation Procedures | 483,015 | 18.4% |
| 3 | Total Other Procedures | 339,365 | 12.9% |
| Brazil | | | |
| 1 | Total Injectables Procedures | 578,050 | 52.6% |
| 2 | Total Facial Rejuvenation Procedures | 298,265 | 27.1% |
| 3 | Total Other Procedures | 223,630 | 20.3% |
| South Korea | | | |
| 1 | Total Injectables Procedures | 483,482 | 68.0% |
| 2 | Total Facial Rejuvenation Procedures | 140,024 | 19.7% |
| 3 | Total Other Procedures | 87,584 | 12.3% |
| India | | | |
| 1 | Total Other Procedures | 242,262 | 47.0% |
| 2 | Total Injectables Procedures | 145,749 | 28.3% |
| 3 | Total Facial Rejuvenation Procedures | 127,022 | 24.7% |
| Mexico | | | |
| 1 | Total Injectables Procedures | 254,975 | 57.1% |
| 2 | Total Other Procedures | 96,798 | 21.7% |
| 3 | Total Facial Rejuvenation Procedures | 94,597 | 21.2% |
| Germany | | | |
| 1 | Total Injectables Procedures | 284,421 | 92.0% |
| 2 | Total Facial Rejuvenation Procedures | 13,663 | 4.4% |
| 3 | Total Other Procedures | 11,065 | 3.6% |
| Colombia | | | |
| 1 | Total Injectables Procedures | 117,582 | 50.3% |
| 2 | Total Other Procedures | 65,275 | 27.9% |
| 3 | Total Facial Rejuvenation Procedures | 50,996 | 21.8% |
| France | | | |
| 1 | Total Injectables Procedures | 188,357 | 82.1% |
| 2 | Total Other Procedures | 22,373 | 9.7% |
| 3 | Total Facial Rejuvenation Procedures | 18,782 | 8.2% |
| Italy | | | |
| 1 | Total Injectables Procedures | 227,304 | 81.2% |
| 2 | Total Facial Rejuvenation Procedures | 29,312 | 10.5% |
| 3 | Total Other Procedures | 23,280 | 8.3% |
| * Percentage reflects portion of countries total non-surgical procedures | | | |

2015 Age Distribution for Certain Cosmetic Procedures

| | 18 years old or younger | | 19-34 years old | | 35-50 years old | | 51-64 years old | | 65 years old or older | |
|---------------------------|-------------------------|------|-----------------|-------|-----------------|-------|-----------------|-------|-----------------------|------|
| Breast augmentations | 45,116 | 3.0% | 898,904 | 60.4% | 460,843 | 31.0% | 74,747 | 5.0% | 9,381 | 0.6% |
| Liposuction | 32,494 | 2.3% | 628,262 | 45.1% | 563,693 | 40.4% | 149,639 | 10.7% | 20,500 | 1.5% |
| Rhinoplasty | 55,064 | 7.5% | 474,686 | 65.0% | 165,045 | 22.6% | 30,453 | 4.2% | 5,039 | 0.7% |
| Botulinum Toxin | 29,155 | 0.6% | 1,048,186 | 22.7% | 2,312,950 | 50.0% | 1,027,361 | 22.2% | 210,100 | 4.5% |
| Nonsurgical Fat Reduction | 10,633 | 2.5% | 126,318 | 29.7% | 176,080 | 41.4% | 89,741 | 21.1% | 22,542 | 5.3% |

2015 Percent of Cosmetic Procedures by Location

| | World-Wide | Brazil | Colombia | France | Germany | India | Italy | Mexico | South Korea | USA |
|-----------------------------|------------|--------|----------|--------|---------|-------|-------|--------|-------------|-------|
| An office facility | 32.7% | 33.9% | 20.6% | 21.4% | 35.1% | 24.4% | 36.3% | 25.9% | 60.4% | 41.6% |
| A hospital | 46.7% | 56.1% | 56.3% | 60.4% | 53.0% | 54.4% | 26.1% | 54.1% | 34.0% | 18.6% |
| A free-standing surgicenter | 19.8% | 9.8% | 22.5% | 18.2% | 11.9% | 20.1% | 37.0% | 19.9% | 5.7% | 39.5% |
| Other | 0.8% | 0.2% | 0.7% | 0.0% | 0.0% | 1.1% | 0.6% | 0.1% | 0.0% | 0.3% |

Breast Augmentations for Women 17 Years Old or Younger - 2015

| | World-Wide | Brazil | Colombia | France | Germany | India | Italy | Mexico | South Korea | USA |
|---|------------|--------|----------|--------|---------|-------|-------|--------|-------------|-------|
| Percentage of Plastic Surgeons who performed breast augmentation procedures on women 17 years old or younger in 2015 | - | | - | | - | | - | | - | - |
| Reasons they were performed: | | | | | | | | | | |
| Congenital absent breast (i.e., Poland's syndrome) | 12.8% | 8.9% | 0.6% | 0.0% | 0.0% | * | * | 22.6% | * | 14.6% |
| Severe asymmetry | 18.1% | 15.5% | 23.8% | 27.4% | 37.5% | * | * | 15.0% | * | 17.1% |
| Congenital micromastia | 12.0% | 11.6% | 0.3% | 36.2% | 0.0% | * | * | 10.1% | * | 9.3% |
| Tubular breast | 21.4% | 20.0% | 55.3% | 32.4% | 62.5% | * | * | 7.6% | * | 11.8% |
| Purely cosmetic bilateral augmentation | 31.2% | 37.9% | 19.8% | 4.0% | 0.0% | * | * | 44.7% | * | 41.8% |
| Other | 4.5% | 6.0% | 0.4% | 0.0% | 0.0% | * | * | 0.0% | * | 5.4% |

Medical Tourism - 2015

| What percentage of your patients are from other countries? | World-Wide | Brazil | Colombia | France | Germany | India | Italy | Mexico | South Korea | USA |
|--|------------|----------|----------|---------|-------------|-------|-------------|----------|-------------|---------|
| Median | 5.0% | 1.0% | 20.0% | 5.0% | 5.0% | 10.0% | 5.0% | 10.0% | 2.5% | 2.0% |
| Average | 12.2% | 7.5% | 24.7% | 9.3% | 8.3% | 13.5% | 10.5% | 17.0% | 8.7% | 6.4% |
| Top 3 Countries from which Patients Travel: | | | | | | | | | | |
| 1 | | USA | Spain | Belgium | Russia | USA | Russia | USA | China | Canada |
| 2 | | Portugal | USA | Italy | Austria | UK | Romania | Canada | Japan | Mexico |
| 3 | | England | Canada | England | Switzerland | UAE | Switzerland | Colombia | Russia | England |